

DOCUMENT SCANNER



About Company

We manufacture and market E-Education Equipment products under the brand name VAMAA. Our products are a combination of an essential core technology, continued innovation, award-winning design and competitive price performance.

VAMAATM
E-Education Equipments

Contact Us



Phone:
+91 8882208470



Email:
sales@vamaa.in



Address:
B-68 Sector 65 NOIDA,
Uttar Pradesh,
201309, INDIA

USE CASE


VAMAA™
E-Education Equipments

A Very Powerful Tool For Easy Document Scanning




FEATURES

RESOLUTION




UPTO 18.0 MP

FILE SUPPORT



**MULTIPLE FILE
FORMAT**

COMMUNICATION INTERFACE



USB 3.0, 2.0

IMAGE SENSOR



CMOS

POWER SUPPLY



USB POWERED

ROTATING ANGLE




**UPTO 360°
ROTATION**




**1 YEAR RTB
WARRANTY**



**ON-SITE
DELIVERY**




**HIGH
PERFORMANCE**



**SEAMLESS
SWITCHING**



EASY CONTROLS



**WINDOWS OS
SUPPORT**

OUR MODELS

VAMAA™
E-Education Equipments



SG-VP-VH802A3AF



SG-VP-S600



SG-VP-S1800A2AF



SG-VP-S200L



SG-VP-VE802AF



SG-VP-S500P

PRODUCT SPECIFICATIONS

VAMAA™
E-Education Equipments



SG-VP-VH802A3AF

Model	SG - VP - VH802A3AF
Capture Size	Upto A3
Image Sensor	5.0 Mega Pixels CMOS
Capture Speed	Instantaneous
Image Input	24 bit
Light Source	Natural + LED Light
OCR	More Than 180 Language
System Requirements	Windows
Customization	SDK, API and Twain Available
Resolution	2592X1944
Picture Format	JPG/ PDF/ TIF/ PNG/ BMP
Interface	USB 2.0, HDMI
Dimensions	Folded Size: 127X79X150mm; Working Size: 127X79x325mm
Image Processing	Brightness, Contrast, Sharpness, Saturation, Gamma, Rotation, Mirroring, etc
Packaging Details	Document Camera, CD-ROM, USB-cable, HDMI Cable, Remote Control, Users Manual

Model	SG - VP - S600
Capture Size	Upto A3
Image Sensor	5.0 Mega Pixels CMOS
Capture Speed	Instantaneous
Image Input	24 bit
Light Source	Natural + LED Light
OCR	More Than 180 Language
System Requirements	Windows
Customization	SDK, API and Twain Available
Resolution	2592X1944
Picture Format	JPG/ TIF/ PDF/ BMP/ TGA/ PCX/ PNG/ RAS
Interface	USB 2.0
Dimensions	Folded Size: 77X78X250mm; Working Size: 270X78X332mm
Image Processing	Brightness, Contrast, Sharpness, Saturation, Gamma, Rotation, Mirroring, etc
Packaging Details	Document Scanner, CD-ROM, Presentation Pad, USB-Cable



SG - VP - S600



SG – VP – S1800A2AF

Model	SG - VP - S1800A2AF
Capture Size	Upto A2
Image Sensor	18.0 Mega Pixels CMOS
Capture Speed	Instantaneous
Image Input	24 bit
Light Source	Natural + LED Light
OCR	More Than 180 Language
System Requirements	Windows
Customization	SDK, API and Twain Available
Resolution	5184X3456
Picture Format	JPG/ TIF/ PDF/ BMP/ TGA/ PCX/ PNG/ RAS
Interface	USB 3.0
Dimensions	Folded Size: 114X110X340.5mm; Working Size: 375X114X459.5mm
Image Processing	Brightness, Contrast, Sharpness, Saturation, Gamma, Rotation, Mirroring, etc
Packaging Details	Document Scanner, CD-ROM, Presentation Pad, USB-Cable

Model	SG - VP - S200L
Capture Size	Upto A4
Image Sensor	2.0 Mega Pixels CMOS
Capture Speed	Instantaneous
Image Input	24 bit
Light Source	Natural + LED Light
OCR	More Than 180 Language
System Requirements	Windows
Customization	SDK, API and Twain Available
Resolution	1600X1200
Picture Format	JPG/ TIF/ PDF/ BMP/ TGA/ PCK/ PNG/ RAS
Interface	USB 2.0
Dimensions	Folded Size: 240X80X92mm; Working Size: 240X80X240mm
Image Processing	Brightness, Contrast, Sharpness, Saturation, Gamma, Rotation, Mirroring, etc
Packaging Details	Document Scanner, CD-ROM, Presentation Pad, USB- Cable



SG - VP - S200L



SG – VP – VE802AF

Model	SG - VP - VE802AF
Capture Size	Upto A4
Image Sensor	5.0 Mega Pixels CMOS
Capture Speed	Instantaneous
Image Input	24 bit
Light Source	Natural + LED Light
OCR	More Than 180 Language
System Requirements	Windows
Customization	SDK, API and Twain Available
Resolution	2592X1944
Picture Format	JPG/ PDF/ TIF/ PNG/ BMP
Interface	VGA, USB 2.0, CVBS, HDMI
Dimensions	Folded Size: 80X91X240mm; Working Size: 91X240X240mm
Image Processing	Brightness, Contrast, Sharpness, Saturation, Gamma, Rotation, Mirroring, etc
Packaging Details	Document Camera, CD-ROM, USB-cable, HDMI Cable, Remote Control, Users Manual

Model	SG - VP - S500P
Capture Size	Upto A4
Image Sensor	5.0 Mega Pixels CMOS
Capture Speed	Instantaneous
Image Input	24 bit
Light Source	Natural + LED Light
OCR	More Than 180 Language
System Requirements	Windows
Customization	SDK, API and Twain Available
Resolution	2592X1944
Picture Format	JPG/ TIF/ PDF/ BMP/ TGA/ PCK/ PNG/ RAS
Interface	USB 2.0
Dimensions	Folded Size: 240X80X92mm; Working Size: 240X80X240mm
Image Processing	Brightness, Contrast, Sharpness, Saturation, Gamma, Rotation, Mirroring, etc
Packaging Details	Document Scanner, CD-ROM, Presentation Pad, USB- Cable



SG - VP - S500P

OUR CERTIFICATIONS & RECOGNITIONS

VAMAA™
E-Education Equipments



GET IN TOUCH WITH US

SUPREME GLOBAL TRADING PRIVATE LIMITED

**B-68 Sector 65 NOIDA, Uttar Pradesh,
201309, INDIA**

+91 120 4143400

+91 8882208470

sales@vamaa.in

Follow Us On



www.vamaa.in